

Reviewed October 2011

Section 1. Identity

Product Name: **Aqua-Hold Pap Pen**

Cat#	Description	SDL Prod ID
9804	Aqua-Hold Pap Pen	00911

Manufacturer/Supplier: Scientific Device Laboratory, 411 Jarvis Avenue, Des Plaines, IL 60018
Phone 847-803-9495

Emergency Information: In case of a chemical emergency, spill, fire, exposure or accident contact Scientific Device Laboratory (847) 803-9495 or CHEMTREC 1-800-424-9300 or 703-527-3887

Section 2. Hazardous Ingredients/Identity Information

Components: Non aromatic hydrocarbons dissolved in N-Heptane.

Section 3. Physical/Chemical Characteristics

Boiling Point: 125°C
Specific Gravity: 0.95
Vapor Pressure (mmHg): 20 mm Hg
Vapor Density: 0.85
Melting Point: > 150° C
Solubility in H₂O: 2%
Appearance: colorless; Odor: none

Section 4. Fire and Explosion Hazard Data

Extinguishing medium: water or carbon dioxide
Flash point: 15°C
Flammable limits: 450°C
Special Fire Fighting Procedures: wear self contained breathing apparatus and protective clothing
Unusual Fire and Explosion Hazards: prevent contact with eyes and skin

Section 5. Reactivity Data

Stability: Stable
Condition to avoid: none known
Reagent incompatibility: none known
Hazardous decomposition or By-products: none
Hazardous polymerization not occur Conditions to avoid: keep away from skin and eyes

Section 6. Health Hazard Data

Routes of entry: Inhalation none Yes Skin: no Ingestion: Yes
Health Hazards: low order of toxicity
Carcinogenicity: none
Medical conditions aggravated by exposure: none
Emergency First Aid Procedures: Flush with water for 15 minutes, wash with soap. If inhaled, give artificial respiration

Section 7. Precautions for Safe Handling and Use

Waste Disposal Method: consult local regulations

Precautions to be taken in Handling and Storage: keep in dry place at room temperature.

Handle with gloves and mask

Other Precautions: store away from other strong oxidants

If spilled, soak up with sponge. Keep away from children

Section 8. Control Measures

Respiratory Protection: mask not required

Ventilation: yes

Storage: Keep pen tightly capped after each use

Protective Gloves: gloves

Protective Clothing: lab coat

Work/Hygiene Practices: work in ventilated area

Eye Protection: chemical safety goggles

Section 9. Transportation

Excepted Under 49 CFR 173.4

Scientific Device Laboratory (SDL) will not be responsible for damages of any kind resulting from the use or reliance upon such information. No representations, or warranties either express or implied of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information set forth herein or to the product to which the information refers. All statements made hereinto are provided in good faith and is believed to be correct as of the date hereof. However SDL makes no representation to the comprehensiveness of such information. It is expected that individuals receiving the information will exercise their independent judgment in determining it appropriate use.

Revision History

CR NUMBER	REVISION
0908-001	00
0511-001	01
0911-007	02